DATE OF BID CONTRACT NO. SHIP VIA DELIVERY DATE TERMS	Change existing indoor Walk-in treezer to a cooler (+387)  ARRA Funds  CNP RA - NSLP Equipment	UNE FY FUND DEPT. ORGN. APPR. OBJ. SUB. PROG. CAT.  OI 09 225 05 3500 1512 5643 T765  THEM DESCRIPTION  DESCRIPTION  DESCRIPTION  DESCRIPTION  OUANTITY	secretary of Department of Finance or Designee  Secretary of Department of Finance or Designee  Secretary of Department of Finance or Designee  VENDOR  DISTRICT ESS BAR EQUIPMENT C  PO BOX 10 885  WILMINGTON, DE 1985  933  L 302-333-0300	INC. 302-652-3266  COMMENTS
		AMOUNT PRICE AMOUNT	onformity with all pertinent and in of this Department and in other pertinent and in the content and in the	SELLER PO TOTAL  1, ORGN. PO TOTAL  4090,00

PO BOX 10885 WILMINGTON, DE 19850-0885 600 SHIPS LANDING WAY NEW CASTLE, DE 19720 302 323 0300 302 323 0711(FAX)

## ESSBAR EQUIPMENT COMPANY

6 July 6, 2009

Mrs. Bonnie Workman Supervisor, Child Nutrition Woodbridge School District Bridgeville, DE

Re: Woodbridge Elementary School Greenwood, DE Change existing indoor walk-in freezer to a cooler(+38f)

Dear Bonnie.

Disconnect and remove the existing walk-in freezer refrigeration system in the left band compartment of the kitchen indoor walk-in box, remove the outdoor roof top freezer compressor.

A+B Electric

Sincerely,

ESSBAR EQUIPMENT CO.

aurence

Michael Laurence

ML:me